## APPLICATION FOR VARIANCE

Phillips County 221 South Interocean Avenue Colorado Fee due: \$50.00 Date\_\_\_\_\_ Submitted By \_\_\_\_\_ Mailing Address\_ Phone Number Include a Survey Map and/or Site Plan for the property at which the variance is being requested. Please explain the standards from which a variance is being sought and the reasons why a variance is necessary. What are the characteristics of your property which prevent compliance with the requirements of the Land Use Code? Which of the minimum requirements of the Land Use Code would have to be reduced to permit your proposed use? How much would they have to be reduced? What hardships would result if the requirements were left as they now appear in the Land Use Other Information:

## APPLICATION FOR VARIANCE (continued)

| Public Hearing Held                                    |  |
|--------------------------------------------------------|--|
| (Date)                                                 |  |
| Decision by the Board of Adjustment:                   |  |
| Variance Granted                                       |  |
| Variance Denied                                        |  |
| Variance Granted, if the following conditions are met: |  |
|                                                        |  |
|                                                        |  |
|                                                        |  |
|                                                        |  |
|                                                        |  |
|                                                        |  |
| Reasons for Decision:                                  |  |
|                                                        |  |
|                                                        |  |
|                                                        |  |
|                                                        |  |
|                                                        |  |
| Signature Date<br>(Chair)                              |  |
| (Citali)                                               |  |